

PRACTICE ALERT

New ICD Code Changes

**Mirean Coleman, LICSW, CT
Clinical Manager**

December 2017

Each year the National Center for Health Statistics (NCHS), releases new, updated, or deleted codes for the *International Classification of Diseases, Tenth Edition, Clinical Modification (ICD-10-CM)*. The updates to the mental and behavioral section of the *ICD-10-CM* began October 1, 2017 and are listed below in the order that they appear in the *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5)*. Clinical social workers should use the new codes to avoid reimbursement denials.

<u>Name of Disorder</u>	<u>Use Through 9/30/2017</u>	<u>Use Beginning 10/1/2017</u>
Avoidant/Restrictive Food Intake Disorder	F50.89	F50.82
Alcohol Use Disorder Mild	F10.10	F10.10
Alcohol Use Disorder, Mild, in early or sustained remission	F10.10	F10.11
Alcohol Use Disorder, Moderate	F10.20	F10.20
Alcohol Use Disorder, Moderate, in early or sustained remission	F10.20	F10.21
Alcohol Use Disorder, Severe	F10.20	F10.20
Alcohol Use Disorder, Severe, in early or sustained remission	F10.20	F10.21
Cannabis Use Disorder, Mild	F12.10	F12.10
Cannabis Use Disorder, Mild, in early or sustained remission	F12.10	F12.11
Cannabis Use Disorder, Moderate	F12.20	F12.20

Name of Disorder	Use Through 9/30/2017	Use Beginning 10/1/2017
Cannabis Use Disorder, Moderate, in early or sustained remission	F12.20	F12.21
Cannabis Use Disorder, Severe	F12.20	F12.20
Cannabis Use Disorder, Severe, in early or sustained remission	F12.20	F12.21
Phencyclidine Use Disorder, Mild	F16.10	F16.10
Phencyclidine Use Disorder, Mild, in early or sustained remission	F16.10	F16.11
Phencyclidine Use Disorder, Moderate	F16.20	F16.20
Phencyclidine Use Disorder, Moderate in early or sustained remission	F16.20	F16.21
Phencyclidine Use Disorder, Severe	F16.20	F16.20
Phencyclidine Use Disorder, Severe in early or sustained remission	F16.20	F16.21
Other Hallucinogen Use Disorder, Mild	F16.10	F16.10
Other Hallucinogen Use Disorder, Mild in early or sustained remission	F16.10	F16.11
Other Hallucinogen Use Disorder, Moderate	F16.20	F16.20
Other Hallucinogen Use Disorder, Moderate, in early or sustained remission	F16.20	F16.21
Other Hallucinogen Use Disorder, Severe	F16.20	F16.20
Other Hallucinogen Use Disorder, Severe in early or sustained remission	F16.20	F16.21
Inhalant Use Disorder, Mild	F18.10	F18.10

<u>Name of Disorder</u>	<u>Use Through 9/30/2017</u>	<u>Use Beginning 10/1/2017</u>
Inhalant Use Disorder, Mild, in early or sustained remission	F18.10	F18.11
Inhalant Use Disorder, Moderate	F18.20	F18.20
Inhalant Use Disorder, Moderate in early or sustained remission	F18.20	F18.21
Inhalant Use Disorder, Severe	F18.20	F18.20
Inhalant Use Disorder, Severe in early or sustained remission	F18.20	F18.21
Opioid Use Disorder, Mild	F11.10	F11.10
Opioid Use Disorder, Mild, in early or sustained remission	F11.10	F11.11
Opioid Use Disorder, Moderate	F11.20	F11.20
Opioid Use Disorder, Moderate, in early or sustained remission	F11.20	F11.21
Opioid Use Disorder, Severe	F11.20	F11.20
Opioid Use Disorder, Severe, in early or sustained remission	F11.20	F11.21
Sedative, Hypnotic, or Anxiolytic Use Disorder, Mild	F13.10	F13.10
Sedative, Hypnotic, or Anxiolytic Use Disorder, Mild, in early or sustained remission	F13.10	F13.11
Sedative, Hypnotic, or Anxiolytic Use Disorder, Moderate	F13.20	F13.20
Sedative, Hypnotic, or Anxiolytic Use Disorder, Moderate, in early or sustained remission	F13.20	F13.21
Sedative, Hypnotic, or Anxiolytic Use Disorder, Severe	F13.20	F13.20

<u>Name of Disorder</u>	<u>Use Through 9/30/2017</u>	<u>Use Beginning 10/1/2017</u>
Sedative, Hypnotic, or Anxiolytic Use Disorder, Severe, in early or sustained remission	F13.20	F13.21
Amphetamine-type Substance Use Disorder, Mild	F15.10	F15.10
Amphetamine-type Substance Use Disorder, Mild, in early or sustained remission	F15.10	F15.11
Amphetamine-type Substance Use Disorder, Moderate	F15.20	F15.20
Amphetamine-type Substance Use Disorder, Moderate, in Early or sustained remission	F15.20	F15.21
Amphetamine-type Substance Use Disorder, Severe	F15.20	F15.20
Amphetamine-type Substance Use Disorder, Severe, in early or sustained remission	F15.20	F15.21
Cocaine Use Disorder, Mild	F14.10	F14.10
Cocaine Use Disorder, Mild, in early or sustained remission	F14.10	F14.11
Cocaine Use Disorder, Moderate	F14.20	F14.20
Cocaine Use Disorder, Moderate, In early or sustained remission	F14.20	F14.21
Cocaine Use Disorder, Severe	F14.20	F14.20
Cocaine Use Disorder, Severe In early or sustained remission	F14.20	F14.21
Other or Unspecified Stimulant Use Disorder, Mild	F15.10	F15.10

<u>Name of Disorder</u>	<u>Use Through 9/30/2017</u>	<u>Use Beginning 10/1/2017</u>
Other or Unspecified Stimulant Use Disorder, Mild, in early or sustained remission	F15.10	F15.11
Other or Unspecified Stimulant Use Disorder, Moderate	F15.20	F15.20
Other or Unspecified Stimulant Use Disorder, Moderate, in early or sustained remission	F15.20	F15.21
Other or Unspecified Stimulant Use Disorder, Severe	F15.20	F15.20
Other or Unspecified Stimulant Use Disorder, Severe, in early or sustained remission	F15.20	F15.21
Tobacco Use Disorder, Moderate	F17.200	F17.200
Tobacco Use Disorder, Moderate in early or sustained remission	F17.200	F17.201
Tobacco Use Disorder, Severe	F17.200	F17.200
Tobacco Use Disorder, Severe, in early or sustained remission	F17.200	F17.201
Other (or Unknown) Substance Use Disorder, Mild	F19.10	F19.10
Other (or Unknown) Substance Use Disorder, Mild, in early or sustained remission	F19.10	F19.11
Other (or Unknown) Substance Use Disorder, Moderate	F19.20	F19.20
Other (or Unknown) Substance Use Disorder, Moderate, in early of sustained remission	F19.20	F19.21
Other (or Unknown) Substance Use Disorder, Severe	F19.20	F19.20

<u>Name of Disorder</u>	<u>Use Through 9/30/2017</u>	<u>Use Beginning 10/1/2017</u>
Other (or Unknown) Substance Use Disorder, Severe, in early or sustained remission	F19.20	F19.21

Additional information about the changes in ICD-10-CM coding related to mental health services is available at the following link: <https://www.psychiatry.org/psychiatrists/practice/dsm/updates-to-dsm-5/coding-updates/as-ordered-in-the-icd-10-cm-classification>